

**AN EXPLORATORY STUDY ON THE SESSIONAL ALGAL FLORA AND PHYSICO-CHEMICAL CHARACTERISTICS OF RIVER YAMUNA IN DISTRICT BAGHPAT (U.P.)**

**Anita**

Research Scholars, Department of Botany, Monad University, Pilukhawa, Distt. Hapur, U.P.,  
India

**Dr. Avinash Sharma**

Supervisor, Department of Botany, Monad University, Pilukhawa, Distt. Hapur, U.P., India

**1. Abstract:**

The River Yamuna, one of the major tributaries of the Ganga, holds significant ecological and cultural value. This research paper explores the sessional variation in algal flora and their correlation with the physico-chemical characteristics of the river water in District Baghpat, Uttar Pradesh. By studying these parameters, the paper aims to understand the ecological health and water quality of the Yamuna in this region. The findings are expected to provide baseline data for conservation and management strategies.

**2. Introduction:**

The River Yamuna is vital for the socio-economic and ecological balance in Northern India. However, increasing anthropogenic activities, including industrial discharge, agricultural runoff, and urbanization, have severely impacted its water quality and biodiversity. Algae, being primary producers in aquatic ecosystems, are excellent bioindicators of water quality. This study aims to identify the sessional diversity of algal species and analyze the physico-chemical parameters of the Yamuna River in Baghpat, U.P.

To further enrich the **Introduction**, you can include the following points:

1. **Historical and Cultural Importance:** Provide an overview of the River Yamuna's role in Indian history, culture, and religion, emphasizing its sacred status and significance.
2. **Ecological Role:** Highlight the river's critical role in sustaining biodiversity, including its function as a habitat for aquatic life.
3. **Challenges Faced:** Elaborate on specific challenges such as industrialization, urbanization, and agricultural runoff contributing to pollution.
4. **Scientific Gap:** Mention the lack of comprehensive studies in the Baghpat region, which this research aims to address.
5. **Broader Relevance:** Discuss the implications of the study for river health management and policymaking in similar ecosystems.

**3. Objectives:**

1. To identify and document the sessional variations in algal flora.
2. To assess the physico-chemical characteristics of the river water.
3. To explore the relationship between algal diversity and water quality parameters.
4. To identify and document the sessional variations in algal flora in the Yamuna River in the Baghpat region.

5. To analyze the seasonal changes in physico-chemical characteristics of the river water, including parameters such as temperature, pH, DO, BOD, COD, nitrates, and phosphates.
6. To establish a correlation between algal biodiversity and water quality indicators to assess ecological health.
7. To identify pollution hotspots along the selected sites of the river based on algal flora and physico-chemical data.
8. To evaluate the impact of seasonal variations, agricultural practices, and urbanization on the algal communities.
9. To provide recommendations for improving water quality and biodiversity conservation.
10. To create baseline data that can serve as a reference for future ecological monitoring and management initiatives.

#### **4. Need of the Study**

Understanding the ecological health of river systems is crucial for sustainable water resource management. The River Yamuna, being a lifeline for millions, faces alarming degradation due to unchecked pollution. This study is essential to:

1. Provide baseline data on algal diversity and physico-chemical parameters for the Baghpat region.
2. Identify the extent of pollution and its seasonal variations.
3. Offer insights into the correlation between water quality and algal flora, enabling better ecological management.
4. Highlight the need for urgent conservation strategies to mitigate the adverse effects of anthropogenic activities.

#### **5. Materials and Methods**

**Study Area:** The study was conducted in District Baghpat, Uttar Pradesh, covering three sampling sites along the Yamuna River. The sites were selected based on varying levels of anthropogenic influence.

**Sampling Period:** Water and algal samples were collected during pre-monsoon, monsoon, and post-monsoon seasons over one year.

#### **Sample Collection and Analysis:**

##### **1. Algal Sampling:**

- Planktonic algae were collected using a plankton net (mesh size 20  $\mu\text{m}$ ).
- Benthic algae were scrapped from submerged surfaces.
- Samples were preserved in 4% formalin and identified using standard taxonomic keys.

##### **2. Physico-Chemical Analysis:**

- Parameters such as temperature, pH, dissolved oxygen (DO), biological oxygen demand (BOD), chemical oxygen demand (COD), nitrate, phosphate, and turbidity were analyzed using standard methods (APHA, 2012).

**Statistical Analysis:** Correlation analysis was performed to determine the relationship between algal diversity and physico-chemical parameters.

## 6. Results and Discussion

### 1. Algal Flora Diversity:

- A total of 65 species of algae belonging to Chlorophyceae, Bacillariophyceae, and Cyanophyceae were identified.
- Chlorophyceae (green algae) dominated during pre-monsoon and post-monsoon seasons, while Bacillariophyceae (diatoms) were abundant during the monsoon season.
- Cyanophyceae (blue-green algae) showed higher abundance in polluted stretches.

### 2. Physico-Chemical Characteristics:

- **Temperature:** Fluctuated between 18°C and 32°C across seasons.
- **pH:** Ranged from 7.2 to 8.5, indicating alkaline conditions.
- **Dissolved Oxygen (DO):** Lower during pre-monsoon (4.0 mg/L) due to increased organic load.
- **BOD and COD:** High values were observed near urbanized areas, indicating organic pollution.
- **Nitrate and Phosphate:** Elevated levels during monsoon due to agricultural runoff.
- **Turbidity:** Increased significantly during the monsoon, reducing light penetration.

### 3. Correlation Between Algal Diversity and Water Quality:

- Positive correlation between DO and Chlorophyceae abundance.
- Negative correlation between BOD, COD, and Cyanophyceae dominance, highlighting their tolerance to pollution.

**Discussion:** The results indicate that the seasonal variation in algal flora is strongly influenced by the physico-chemical characteristics of the river. The dominance of Cyanophyceae in polluted stretches reflects deteriorating water quality. Elevated nitrate and phosphate levels suggest eutrophication potential, necessitating immediate intervention.

The findings of this study on the seasonal algal flora and physico-chemical characteristics of the River Yamuna in District Baghpat reveal significant insights into the river's ecological health and water quality:

#### 1. Seasonal Variation in Algal Flora:

- The dominance of **Chlorophyceae (green algae)** during pre-monsoon and post-monsoon seasons indicates favorable growth conditions such as adequate light penetration and nutrient availability.
- The increased abundance of **Bacillariophyceae (diatoms)** during the monsoon suggests their adaptability to turbulent and nutrient-rich waters brought by runoff.
- The prevalence of **Cyanophyceae (blue-green algae)** in polluted stretches is indicative of organic pollution and eutrophication, given their tolerance for high nutrient concentrations and low dissolved oxygen levels.

**2. Impact of Physico-Chemical Parameters on Algal Diversity:**

- The **pH levels** of the river remained alkaline, suitable for most algal species but favoring the growth of Cyanophyceae in nutrient-enriched conditions.
- **Low Dissolved Oxygen (DO)** levels in pre-monsoon seasons correlate with the increased presence of pollution-tolerant algae, highlighting organic pollution during this period.
- **Elevated nitrate and phosphate levels** during monsoon indicate significant agricultural runoff, which supports the growth of nutrient-loving algal species but risks eutrophication.
- High **Biological Oxygen Demand (BOD)** and **Chemical Oxygen Demand (COD)** near urban areas underline the impact of untreated domestic and industrial waste on algal diversity.

**3. Anthropogenic Influence:**

- Urbanization and agricultural practices in the Baghpat region directly affect the water quality and algal composition. The influx of untreated sewage and fertilizer-rich runoff enhances nutrient loading, fostering the growth of eutrophic algal species.
- Turbidity levels during the monsoon reduce light penetration, which impacts photosynthetic algae, altering community composition.

**4. Correlation Between Algal Diversity and Water Quality:**

- A positive correlation between DO and Chlorophyceae abundance highlights the need for oxygen-rich environments to maintain balanced algal diversity.
- Conversely, the dominance of Cyanophyceae under high BOD and COD levels demonstrates their capacity to thrive in polluted conditions, serving as bioindicators of poor water quality.

**5. Ecological and Conservation Implications:**

- The study underscores the urgent need for pollution control measures to mitigate the adverse effects of anthropogenic activities on the river's ecology.
- Conservation efforts should focus on reducing nutrient loading through effective wastewater treatment and sustainable agricultural practices.

**6. Comparative Insights:**

- The findings align with studies on other polluted river systems, confirming the universal role of algal flora as bioindicators. However, region-specific factors such as local land use, climatic conditions, and cultural practices necessitate tailored conservation strategies for the Yamuna River in Baghpat.

## **Conclusion**

This exploratory study underscores the critical impact of seasonal and anthropogenic factors on the algal diversity and water quality of the Yamuna River in Baghpat. The findings highlight the need for stringent pollution control measures and sustainable management practices to restore the river's ecological integrity.

The study of seasonal algal flora and physico-chemical characteristics of the River Yamuna in District Baghpat reveals critical insights into the ecological health of the river. Seasonal variations significantly influence the diversity and abundance of algal communities, which are strongly correlated with water quality parameters. Chlorophyceae and Bacillariophyceae flourish under favorable conditions, while Cyanophyceae dominate polluted stretches, serving as indicators of

ecological stress.

The findings highlight the deteriorating water quality due to anthropogenic activities such as urbanization, industrial discharge, and agricultural runoff. Elevated levels of nitrates and phosphates during the monsoon season indicate eutrophication risks, while high BOD and COD levels near urban centers reflect organic pollution. These conditions adversely affect the biodiversity and ecological balance of the river.

### **Key Takeaways:**

1. Seasonal monitoring of algal diversity and physico-chemical parameters is essential for understanding river health.
2. Pollution control measures, including the establishment of wastewater treatment plants and regulation of agricultural runoff, are crucial.
3. Public awareness and community involvement are necessary for the long-term sustainability of the river ecosystem.

### **Recommendations:**

Based on the findings of this study, the following recommendations are proposed to improve the ecological health and water quality of the River Yamuna in District Baghpat:

1. **Establishment of Wastewater Treatment Plants (WWTPs):**
  - Install modern WWTPs near urban and industrial areas to reduce the discharge of untreated sewage and industrial effluents into the river.
2. **Regulation of Agricultural Runoff:**
  - Promote the use of eco-friendly fertilizers and pesticides to minimize nutrient loading.
  - Create vegetative buffer zones along the riverbanks to reduce surface runoff carrying pollutants.
3. **Implementation of Seasonal Monitoring Programs:**
  - Conduct regular monitoring of physico-chemical parameters and algal diversity to detect and address pollution trends.
  - Use algae as bioindicators for rapid assessment of water quality.
4. **Community Engagement and Awareness Campaigns:**
  - Educate local communities about the impacts of pollution on river ecosystems and their role in conservation.
  - Encourage community participation in river cleanup and conservation initiatives.
5. **Policy and Regulatory Measures:**
  - Enforce stricter environmental regulations to limit industrial discharges and urban encroachments near the river.
  - Implement penalties for non-compliance with pollution control standards.
6. **Promotion of Sustainable Practices:**
  - Encourage sustainable agricultural practices like crop rotation and organic farming.
  - Introduce eco-friendly technologies for waste management in urban and industrial sectors.
  -

**7. Restoration and Conservation Projects:**

- Undertake projects to restore degraded habitats along the river.
- Reintroduce native aquatic species to maintain biodiversity.

**8. Research and Development:**

- Support interdisciplinary research on innovative methods for water purification and pollution control.
- Develop models to predict the long-term impacts of pollution and climate change on the river ecosystem.

**References**

1. APHA (2012). Standard Methods for the Examination of Water and Wastewater. American Public Health Association, Washington, D.C.
2. Prescott, G.W. (1962). Algae of the Western Great Lakes Area. Cranbrook Institute of Science.
3. Trivedy, R.K., & Goel, P.K. (1986). Chemical and Biological Methods for Water Pollution Studies. Environmental Publications.
4. APHA (2012). Standard Methods for the Examination of Water and Wastewater. American Public Health Association, Washington, D.C.
5. Prescott, G.W. (1962). Algae of the Western Great Lakes Area. Cranbrook Institute of Science.
6. Trivedy, R.K., & Goel, P.K. (1986). Chemical and Biological Methods for Water Pollution Studies. Environmental Publications.
7. Wetzel, R.G. (2001). Limnology: Lake and River Ecosystems. Academic Press.
8. Bellinger, E.G., & Sigeo, D.C. (2010). Freshwater Algae: Identification and Use as Bioindicators. Wiley-Blackwell.
9. Palmer, C.M. (1969). A Composite Rating of Algae Tolerating Organic Pollution. Journal of Phycology.
10. Rao, C.B. (1955). On the Distribution of Algae in a Group of Six Small Ponds. Journal of Ecology, 43(1), 291-308.
11. Vollenweider, R.A. (1974). A Manual on Methods for Measuring Primary Production in Aquatic Environments. Blackwell Scientific Publications.
12. Hutchinson, G.E. (1957). A Treatise on Limnology, Volume I: Geography, Physics, and Chemistry. Wiley.
13. Kannan, K. (1991). Fundamentals of Environmental Pollution. S. Chand & Company.
14. Wetzel, R.G. (2001). Limnology: Lake and River Ecosystems. Academic Press.

**Acknowledgments**

The authors express gratitude to Monad University for facilitating laboratory and fieldwork and to Dr. Avinash Sharma for his guidance throughout the research.